



शिवराज नगरपालिका नगर कार्यपालिकाको कार्यालय

चन्द्रौटा, कपिलवस्तु
लुम्बिनी प्रदेश, नेपाल

पत्र संख्या : ०८०/८९

चलानी नम्बर :

मिति : २०८०/०८/१८


सूचना !

सूचना !!

सूचना !!!

विषय:- दररेट पेश गर्ने बारे ।

उपरोक्त सम्बन्धमा यस नगरपालिका मातहतको आधारभूत स्वास्थ्य सेवा अस्पताललाई केहि थान कम्प्युटरजन्य तथा विद्युतजन्य सामाग्री आवश्यक भएको हुदाँ सम्बन्धित विक्रेता, फर्म तथा सप्लायर्सहरुले के कति दररेटमा कार्यालयमा उपलब्ध गराउन सकिन्छ सो को विवरण यो सूचना प्रकाशन भएको मितिले ७ दिन भित्र कार्यालय समयमा दररेट पेश गर्नु हुन सम्बन्धित सबैमा जानकारीको लागि यो सूचना प्रकाशन गरिएको छ । साथै सामाग्रीको स्फेसिफिकेसन यसै साथ संलग्न छ ।


बाबुराम पौडेल
प्रमुख प्रशासकीय अधिकृत




Technical Specification

S.N	Item	Brand/Model	Specification
1	Server computer	Any	CPU 1 x Intel Xeon E-2124 Quad-Core 3.3GHzCPUs RAM 8GB (1x8GB) DDR4 RAM Hard Drives 2 x 1TB SAS 7.2k 12Gbps 3.5" DellEnterprise Class Cabled Hard Drives RAID Controller PERC H730P RAID Controllerwith 2GB NV Cache Network Card Broadcom 5720 1Gbps Dual PortNetwork Integrated Card (2 x Ports) Power Supply Single Fixed Power Supply (1xPSU)Remote Access iDRAC9 Basic License Installed Rack Rails N/A Bezel Not Included Backplane 4 way Backplane for up to 4 x 3.5"SAS, SATA or SSD Cabled Drives Chassis Type Tower Additional Information: Optical Drive Not Included19" Branded LED Monitor Windows Sever 2012 R2 with completeinstallation & Configuration
2	Branded Desktop	Any	Intel Core i3 12th Generation8 GB RAM 256 SSD 19" LED Monitor KeyboardMouse
3	Laser Printer	Any	Product Type:Laser Printer. Connectivity Technology: wired.Interface: USB. Print Speed: Up to 12 ppm - B/W - A4 (8.25 in x 11.7 in). Frequency Required: 50/60 Hz. Power Consumption Operational: 259 Watt.Max Resolution B/W 2400 x 600 dpi. Max Printing Speed B/W (ppm) 12 ppm.PRINTER OUTPUT Max Speed 12 ppm. Media Size A4 (8.25 in x 11.7 in).POWER DEVICE Type power supply. Nominal Voltage AC 230 V. Frequency Required 50/60 Hz. Power Consumption Operational 259 Watt.Form Factor internal.5

[Signature]

[Signature]
बाबुराम पौडेल
प्रमुख प्रशासकीय अधिकृत



4	Dot Matrix Printer	Any	Printing Technology: Print Method: Impact dot matrix Control Panel: 4 switches and 5 LEDs Print Direction: Bi-direction with logic seeking Number of Pins in Head: 24 pins Control Code: ESC/P2 and IBM PPDS emulation MTBF: Approx. 10,000 POH (25% Duty) Printhead Life: Approx. 400 million strokes/wire Mean Print Volume Between Failure (MVBF): Approx. 20 million lines (Except print head)
5	Label Printer	Any	Print Method: Thermal Transfer & Direct Thermal Resolution: 8 Dots / MM (203 DPI) Print Speed: 152.MM (6") / Second Print Width: 108 mm (4.25") Print Length: 2.794 mm(110") LCD / LED: 1 LED (3 colots: green, amber, red) SDRAM: 16 MB Flash Memory: 8 MB Media Type: Continuous, die-cut, Black, Mark, Fan-Fold, Notched
6	UPS (Server)	Any	Minimum 1200 VA online UPS
7	UPS (Desktop)	Any	Minimum 700 VA Online UPS

बाबुराम पौडेल
प्रमुख प्रशासकीय अधिकृत